

# Orthotic and Prosthetic Appliances: Billing Codes and Reimbursement Rates – Prosthetics

Page updated: September 2020

This section lists the HCPCS codes and maximum allowances for prosthetic appliances. Refer to the *Orthotic and Prosthetic Appliances and Services* section in the appropriate Part 2 manual for policy information.

In compliance with *Welfare and Institutions Code* 14105.21, reimbursement for prosthetic appliances may not exceed 80 percent of the lowest maximum allowance for California, established by the federal Medicare program for the same or similar services.

**Note:** Per Title 22, *California Code of Regulations*, Section 51321(g): Authorization for durable medical equipment shall be limited to the lowest cost item that meets the patient's medical needs.

## Codes and Rates

Prosthetic appliances are reimbursed as listed below:

### Lower Limb Prostheses

#### Partial Foot

HCPCS Code	Description	Maximum Allowances <<(in dollars)>>
L5000	Shoe insert with longitudinal arch, toe filler	195.45
L5010	Molded socket, ankle height, with toe filler	558.45
L5020	Molded socket, tibial tubercle height, with toe filler	1,236.57

#### Ankle

HCPCS Code	Description	Maximum Allowances <<(in dollars)>>
L5050	Symes, molded socket, SACH foot	955.80
L5060	Symes, metal frame, molded leather socket, articulated ankle/foot	1,616.81

**Below Knee**

<b>HCPCS Code</b>	<b>Description</b>	<b>Maximum Allowances «(in dollars)»</b>
L5100	Molded socket, shin, SACH foot	1,022.37
L5105	Plastic socket, joints and thigh lacer, SACH foot	1,664.94

**Knee Disarticulation**

<b>HCPCS Code</b>	<b>Description</b>	<b>Maximum Allowances «(in dollars)»</b>
L5150	Molded socket, external knee joints, shin, SACH foot	1,428.59
L5160	Molded socket, bent knee configuration, external knee joints, shin, SACH foot	1,368.19

**Above Knee**

<b>HCPCS Code</b>	<b>Description</b>	<b>Maximum Allowances «(in dollars)»</b>
L5200	Molded socket, single axis constant friction knee, shin, SACH foot	1,405.01
L5210	Short prosthesis, no knee joint (“Stubbies”), with foot blocks, no ankle joints, each	1,587.11
L5220	Short prosthesis, no knee joint (“Stubbies”), with articulated ankle/foot, dynamically aligned, each	1,904.69
L5230	Constant friction knee, shin, SACH foot	2,411.38

**Hip Disarticulation**

<b>HCPCS Code</b>	<b>Description</b>	<b>Maximum Allowances «(in dollars)»</b>
L5250	Canadian type; molded socket, hip joint, single axis constant friction knee, shin, SACH foot	2,083.60
L5270	Tilt table type; molded socket, locking hip joint, single axis constant friction knee, shin, SACH foot	3,943.93

**Hemipelvectomy**

<b>HCPCS Code</b>	<b>Description</b>	<b>Maximum Allowances «(in dollars)»</b>
L5280	Canadian type; molded socket, hip joint, single axis constant friction knee, shin, SACH foot	2,293.96

Page updated: September 2020

**Endoskeletal**

<b>HCPCS Code</b>	<b>Description</b>	<b>Maximum Allowances «(in dollars)»</b>
L5301	Below knee, molded socket, shin, SACH foot, endoskeletal system	1,955.71
L5312	Knee disarticulation (or through knee), molded socket, single axis knee, pylon, SACH foot, endoskeletal system	2,908.66
L5321	Above knee, molded socket, open end, SACH foot, endoskeletal system, single axis knee	2,811.55
L5331	Hip disarticulation, Canadian type, molded socket, endoskeletal system, hip joint, single axis knee, SACH foot	3,736.33
L5341	Hemipelvectomy, Canadian type, molded socket, endoskeletal system, hip joint, single axis knee, SACH foot	4,323.32

**Immediate and Early Post Surgical Procedures**

<b>HCPCS Code</b>	<b>Description</b>	<b>Maximum Allowances «(in dollars)»</b>
L5400	Application of initial rigid dressing, including fitting, alignment, suspension, and one cast change, below knee	668.05
L5410	Application of initial rigid dressing, including fitting, alignment and suspension, below knee, each additional cast change and realignment	202.18
L5420	Application of initial rigid dressing, including fitting, alignment and suspension, and one cast change "AK" or knee disarticulation	753.10
L5430	Application of initial rigid dressing, including fitting, alignment and suspension, "AK" or knee disarticulation, each additional cast change and realignment	208.92
L5450	Application of non-weight bearing rigid dressing, below knee	132.66
L5460	Application of non-weight bearing rigid dressing, above knee	164.63

## Initial Prosthesis

<b>HCPCS Code</b>	<b>Description</b>	<b>Maximum Allowances &lt;&lt;(in dollars)&gt;&gt;</b>
L5500	Below knee "PTB" type socket, non-alignable system pylon, no cover, SACH foot, plaster socket, direct formed	580.66
L5505	Above knee – knee disarticulation, ischial level socket, non-alignable system pylon, no cover, SACH foot plaster socket, direct formed	701.90

## Preparatory Prosthesis – Below Knee

<b>HCPCS Code</b>	<b>Description</b>	<b>Maximum Allowances &lt;&lt;(in dollars)&gt;&gt;</b>
L5510	"PTB" type socket, non-alignable system pylon, no cover, SACH foot, plaster socket, molded to model	785.76
L5520	"PTB" type socket, non-alignable system pylon, no cover, SACH foot, thermoplastic or equal, direct formed	829.01
L5530	"PTB" type socket, non-alignable system pylon, no cover, SACH foot, thermoplastic or equal, molded to model	1,105.22
L5535	"PTB" type socket, non-alignable system pylon, no cover, SACH foot, prefabricated, adjustable open end socket	1,210.22
L5540	"PTB" type socket, non-alignable system pylon, no cover, SACH foot, laminated socket, molded to model	1,065.00

**Preparatory Prosthesis – Above Knee**

<b>HCPCS Code</b>	<b>Description</b>	<b>Maximum Allowances (in dollars)</b>
L5560	Knee disarticulation, ischial level socket, non-alignable system pylon, no cover, SACH foot, plaster socket, molded to model	1,050.23
L5570	Knee disarticulation, ischial level socket, non-alignable system pylon, no cover, SACH foot, thermoplastic or equal, direct formed	1,167.52
L5580	Knee disarticulation, ischial level socket, non-alignable system pylon, no cover, SACH foot, thermoplastic or equal, molded to model	1,254.54
L5585	Knee disarticulation, ischial level socket, non-alignable system pylon, no cover, SACH foot, prefabricated adjustable open end socket	1,255.80
L5590	Knee disarticulation, ischial level socket, non-alignable system pylon, no cover, SACH foot, laminated socket, molded to model	1,492.80
L5595	Hip disarticulation-hemipelvectomy, pylon, no cover, SACH foot, thermoplastic or equal, molded to patient model	3,219.48
L5600	Hip disarticulation-hemipelvectomy, pylon, no cover, SACH foot, laminated socket, molded to patient model	3,430.00

**Additions – Endoskeletal System – Above Knee**

<b>HCPCS Code</b>	<b>Description</b>	<b>Maximum Allowances (in dollars)</b>
«K1022	Addition to lower extremity prosthesis, endoskeletal, knee disarticulation, above knee, hip disarticulation, positional rotation unit, any type	By Report»
L5610	Hydracadence system	1,572.18
L5611	Knee disarticulation, 4-bar linkage, with friction swing phase control	1,271.46
L5613	Knee disarticulation, 4-bar linkage, with hydraulic swing phase control	862.40
L5614	Knee disarticulation, 4-bar linkage, with pneumatic swing phase control	1,062.81
L5616	Universal multiplex system, friction swing phase control	631.81
L5617	Quick change self-aligning unit, above knee or below knee, each	244.46

**Additions – Test Sockets**

<b>HCPCS Code</b>	<b>Description</b>	<b>Maximum Allowances «(in dollars)»</b>
L5618	Symes	108.27
L5620	Below knee	108.27
L5622	Knee disarticulation	149.81
L5624	Above knee	149.81
L5626	Hip disarticulation	174.10
L5628	Hemipelvectomy	174.10
L5629	Below knee, acrylic socket	98.56

**Additions – Socket Variations**

<b>HCPCS Code</b>	<b>Description</b>	<b>Maximum Allowances «(in dollars)»</b>
L5630	Symes type, expandable wall socket	170.79
L5631	Above knee or knee disarticulation, acrylic socket	192.50
L5632	Symes type, “PTB” brim design socket	80.69
L5634	Symes type, posterior, opening (Canadian) socket	227.81
L5636	Symes type, medial opening socket	113.17
L5637	Below knee, total contact	246.15
L5638	Below knee, leather socket	327.50
L5639	Below knee, wood socket	959.10
L5640	Knee disarticulation, leather socket	134.48
L5642	Above knee, leather socket	134.48
L5643	Hip disarticulation, flexible inner socket, external frame	690.03
L5644	Above knee, wood socket	134.48
L5645	Below knee, flexible inner socket, external frame	427.29
L5646	Below knee, air, fluid, gel or equal, cushion socket	207.11
L5647	Below knee suction socket	539.64
L5648	Above knee, air, fluid, gel or equal, cushion socket	220.79
L5649	Ischial containment/narrow M-L socket	829.38
L5650	Total contact, above knee or knee disarticulation socket	203.88
L5651	Above knee, flexible inner socket, external frame	470.98
L5652	Suction suspension, above knee or knee disarticulation socket	81.20
L5653	Knee disarticulation, expandable wall socket	402.64

**Additions – Socket Inserts**

<b>HCPCS Code</b>	<b>Description</b>	<b>Maximum Allowances «(in dollars)»</b>
L5654	Symes (Kemblo, Pelite, Aliplast, Plastazote or equal)	159.58
L5655	Below knee (Kemblo, Pelite, Aliplast, Plastazote or equal)	129.77
L5656	Knee disarticulation (Kemblo, Pelite, Aliplast, Plastazote or equal)	137.12
L5658	Above knee (Kemblo, Pelite, Aliplast, Plastazote or equal)	137.12
L5661	Multi-durometer Symes	344.89
L5665	Multi-durometer, below knee	392.19
L7700	Gasket or seal, for use with prosthetic socket insert, any type, each	By Report

**Additions – Suspension – Below Knee**

<b>HCPCS Code</b>	<b>Description</b>	<b>Maximum Allowances «(in dollars)»</b>
L5666	Cuff suspension	45.14
L5668	Molded distal cushion	58.80
L5670	Molded supracondylar suspension (“PTS” or similar)	117.05
L5671	Suspension locking mechanism (shuttle, lanyard or equal), excludes socket insert	425.50
L5672	Removable medial brim suspension	135.28
L5673	Below knee/above knee, custom fabricated from existing mold or prefabricated, socket insert, silicone gel, elastomeric or equal, for use with locking mechanism	502.73
L5676	Knee joints, single axis, pair	203.01
L5677	Knee joints, polycentric, pair	369.53
L5678	Joint covers, pair	23.76
L5679	Below knee/above knee, custom fabricated from existing mold or prefabricated, socket insert, silicone gel, elastomeric or equal, not for use with locking mechanism	418.94
L5680	Thigh lacer, non-molded	134.76
L5681	Below knee/above knee, custom fabricated socket insert for congenital or atypical traumatic amputee, silicone gel, elastomeric or equal, for use with or without locking mechanism, initial only	828.47
L5682	Thigh lacer, gluteal/ischial, molded	248.88
L5683	Below knee/above knee, custom fabricated socket insert for other than congenital or atypical traumatic amputee, silicone gel, elastomeric or equal, for use with or without locking mechanism, initial only	828.47
L5684	Fork strap	32.98
L5685	Suspension/sealing sleeve, with or without valve, any material, each	80.66
L5686	Back check (extension control)	19.85
L5688	Waist belt, webbing	43.44
L5690	Waist belt, padded and lined	75.60



**Additions – Suspension – Above Knee**

<b>HCPCS Code</b>	<b>Description</b>	<b>Maximum Allowances «(in dollars)»</b>
L5692	Pelvic control belt, light	88.65
L5694	Pelvic control belt, padded and lined	105.52
L5695	Pelvic control, sleeve suspension, Neoprene or equal, each	94.50
L5696	Pelvic joint	105.52
L5697	Pelvic band	46.45
L5698	Silesian bandage	49.14
L5699	Shoulder harness for all lower extremity prostheses	144.67

**Additions (Replacements) – Feet – Ankle Units**

<b>HCPCS Code</b>	<b>Description</b>	<b>Maximum Allowances «(in dollars)»</b>
L5700	Socket, below knee, molded to patient model	1,625.05
L5701	Socket, above knee – knee disarticulation, including attachment plate, molded to patient model	2,017.64
L5702	Socket, hip disarticulation, including hip joint, molded to patient model	2,578.12
L5703	Ankle, Symes, molded to patient model, socket without solid ankle cushion heel	1,544.40
L5704	Custom-shaped protective cover, below knee	271.40
L5705	Custom-shaped protective cover, above knee	445.55
L5706	Custom-shaped protective cover, knee disarticulation	441.59
L5707	Custom-shaped protective cover, hip disarticulation	627.74

**Exoskeletal Additions – Knee – Shin System**

<b>HCPCS Code</b>	<b>Description</b>	<b>Maximum Allowances «(in dollars)»</b>
L5710	Single axis, manual lock	221.64
L5711	Single axis, manual lock, ultra-light material	359.38
L5712	Single axis, friction swing and stance phase control (safety knee)	289.00
L5714	Single axis, variable friction swing phase control	170.66
L5716	Polycentric, mechanical stance phase lock	520.11
L5718	Polycentric, friction swing and stance phase control	560.56
L5722	Single axis, pneumatic swing, friction stance phase control	696.14
L5724	Single axis, fluid swing phase control	726.20
L5726	Single axis, external joints fluid swing phase control	1,265.35
L5728	Single axis, fluid swing and stance phase control	1,125.26
L5780	Single axis, pneumatic/hydra pneumatic swing phase control	345.48
L5781	Vacuum pump, residual limb volume management and moisture evacuation system	2,520.06
+L5782	Vacuum pump, residual limb volume management and moisture evacuation system, heavy duty	By Report
L5785	Below knee, ultra-light material (titanium, carbon fiber or equal)	317.63
L5790	Above knee, ultra-light material (titanium, carbon fiber or equal)	417.97
L5795	Hip disarticulation, ultra-light material (titanium, carbon fiber or equal)	534.19

**Endoskeletal Additions – Knee – Shin System**

<b>HCPCS Code</b>	<b>Description</b>	<b>Maximum Allowances «(in dollars)»</b>
L5810	Single axis, manual lock	348.51
L5811	Single axis, manual lock, ultra-light material	623.88
L5812	Single axis, friction swing and stance phase control (safety knee)	393.19
L5814	Polycentric, hydraulic swing phase control, mechanical stance phase lock	1,622.66
L5816	Polycentric, mechanical stance phase lock	689.08
L5818	Polycentric, friction swing, and stance phase control	728.70
L5822	Single axis, pneumatic swing, friction stance phase control	683.69
L5824	Single axis, fluid swing phase control	1,243.27

**Endoskeletal Additions – Knee – Shin System (continued)**

<b>HCPCS Code</b>	<b>Description</b>	<b>Maximum Allowances «(in dollars)»</b>
L5826	Single axis, hydraulic swing phase control, with miniature high activity frame	1,398.96
L5828	Single axis, fluid swing and stance phase control	1,687.63
L5830	Single axis, pneumatic/swing phase control	1,623.21
L5840	4-bar linkage or multiaxial, pneumatic swing phase control	1,343.30
L5845	Stance flexion feature, adjustable	1,128.89
L5846	Microprocessor control feature, swing phase only	2,368.36
+L5847	Microprocessor control feature, stance phase	By Report
L5848	Fluid stance extension, dampening feature, with or without adjustability	677.28
L5850	Above knee or hip disarticulation, knee extension assist	73.68
L5855	Hip disarticulation, mechanical hip extension assist	183.27
L5856	Microprocessor control feature, swing and stance phase, includes electronic sensor(s), any type	15,119.69
L5857	Microprocessor control feature, swing phase only, includes electronic sensor(s), any type	5,365.04
L5858	Microprocessor control feature, stance phase only, includes electronic sensor(s), any type	11,705.58
L5910	Below knee, alignable system	161.19
L5920	Above knee or hip disarticulation, alignable system	236.13
L5925	Above knee, knee disarticulation or hip disarticulation, manual lock	194.09
L5930	High activity knee control frame	1,470.62
L5940	Below knee, ultra-light material (titanium, carbon fiber or equal)	310.89
L5950	Above knee, ultra-light material (titanium, carbon fiber or equal)	453.71
L5960	Hip disarticulation, ultra-light material (titanium, carbon fiber or equal)	562.20
L5961	Polycentric hip joint, pneumatic or hydraulic control, rotation control, with or without flexion, and/or extension control	«N/A»
L5962	Below knee, flexible protective outer surface covering system	348.79
L5964	Above knee, flexible protective outer surface covering system	502.11
L5966	Hip disarticulation, flexible outer surface covering system	650.97

**Miscellaneous**

<b>HCPCS Code</b>	<b>Description</b>	<b>Maximum Allowances &lt;&lt;(in dollars)&gt;&gt;</b>
L5968	Addition to lower limb prosthesis, multiaxial ankle with swing phase active dorsiflexion feature	1,623.84
L5970	All lower extremity prostheses, foot, external keel, SACH foot	76.53
L5971	All lower extremity prostheses, solid ankle cushion heel (SACH) foot, replacement only	163.92
L5972	All lower extremity prostheses, flexible keel foot (Safe, Sten, Bock Dynamic or equal)	209.13
L5973	Endoskeletal ankle foot system, microprocessor controlled feature, dorsiflexion and/or plantar flexion control, includes power source	12,453.00
L5974	All lower extremity prostheses, foot, single axis ankle/foot	143.80
L5975	All lower extremity prostheses, combination single axis ankle and flexible keel foot	207.16
L5976	All lower extremity prostheses, energy storing foot (Seattle Carbon Copy II or equal)	332.32
L5978	All lower extremity prostheses, foot, multi-axial ankle/foot	178.44
L5979	All lower extremity prostheses, multi-axial ankle, dynamic response foot, one piece system	1,341.49
L5980	All lower extremity prostheses, flex foot system	1,878.25
L5981	All lower extremity prostheses, flex-walk system or equal	1,457.82
L5982	All exoskeletal lower extremity prostheses, axial rotation unit	384.33
L5984	All endoskeletal lower extremity prostheses, axial rotation unit, with or without adjustability	338.05
L5985	All endoskeletal lower extremity prostheses, dynamic prosthetic pylon	123.37
L5986	All lower extremity prostheses, multi-axial rotation unit ("MCP" or equal)	376.03
L5987	All lower extremity prostheses, shank foot system with vertical loading pylon	3,143.06
L5988	Addition to lower limb prosthesis, vertical shock reducing pylon feature	892.69

## Upper Limb Protheses

### Partial Hand

<b>HCPCS Code</b>	<b>Description</b>	<b>Maximum Allowances «(in dollars)»</b>
L6000	Robin-Aids, thumb remaining (or equal)	856.69
L6010	Robin-Aids, little and/or ring finger remaining (or equal)	950.10
L6020	Robin-Aids, no finger remaining (or equal)	920.07
L6026	Transcarpal/metacarpal or partial hand disarticulation prosthesis, external power, self-suspended, inner socket with removable forearm section, electrodes and cables, two batteries, charger, myoelectric control of terminal device, excludes terminal device(s)	By Report

### Wrist Disarticulation

<b>HCPCS Code</b>	<b>Description</b>	<b>Maximum Allowances «(in dollars)»</b>
L6050	Wrist disarticulation, molded socket; flexible elbow hinges, triceps pad	805.99
L6055	Wrist disarticulation, molded socket with expandable interface, flexible elbow hinges, triceps pad	1,488.03

**Elbow**

<b>HCPCS Code</b>	<b>Description</b>	<b>Maximum Allowances «(in dollars)»</b>
L6100	Below elbow, molded socket, flexible elbow hinge, triceps pad	815.10
L6110	Below elbow, molded socket, (Muenster or Northwestern suspension types)	853.14
L6120	Below elbow, molded double wall split socket, step-up hinges, half cuff	987.19
L6130	Below elbow, molded double wall split socket, stump activated locking hinge, half cuff	1,236.13
L6200	Elbow disarticulation, molded socket, outside locking hinge, forearm	1,141.93
L6205	Elbow disarticulation, molded socket with expandable interface, outside locking hinges, forearm	2,060.63
L6250	Above elbow, molded double wall socket, internal locking elbow, forearm	1,173.23

**Shoulder**

<b>HCPCS Code</b>	<b>Description</b>	<b>Maximum Allowances «(in dollars)»</b>
L6300	Molded socket, shoulder bulkhead, humeral section, internal locking elbow, forearm	1,468.22
L6310	Passive restoration (complete prosthesis)	1,894.54
L6320	Passive restoration (shoulder cap only)	1,215.57

**Interscapular Thoracic**

<b>HCPCS Code</b>	<b>Description</b>	<b>Maximum Allowances «(in dollars)»</b>
L6350	Molded socket, shoulder bulkhead, humeral section, internal locking elbow, forearm	2,362.08
L6360	Passive restoration (complete prosthesis)	2,540.85
L6370	Passive restoration (shoulder cap only)	1,332.14

**Immediate and Early Surgical Procedures**

<b>HCPCS Code</b>	<b>Description</b>	<b>Maximum Allowances «(in dollars)»</b>
L6380	Application of initial rigid dressing, including fitting alignment and suspension of components, and one cast change, wrist disarticulation or below elbow	593.60
L6382	Application of initial rigid dressing, including fitting alignment and suspension of components, and one cast change, elbow disarticulation or above elbow	660.10
L6384	Application of initial rigid dressing including fitting alignment and suspension of components, and one cast change, shoulder disarticulation or interscapular thoracic	1,101.63
L6386	Each additional cast change and realignment	222.95
L6388	Application of rigid dressing only	232.49

**Endoskeletal – Elbow or Shoulder Area**

<b>HCPCS Code</b>	<b>Description</b>	<b>Maximum Allowances «(in dollars)»</b>
L6400	Below elbow, molded socket, endoskeletal system, including soft prosthetic tissue shaping	1,442.96
L6450	Elbow disarticulation, molded socket, endoskeletal system, including soft prosthetic tissue shaping	2,209.58
L6500	Above elbow, molded socket, endoskeletal system, including soft prosthetic tissue shaping	2,062.10
L6550	Shoulder disarticulation, molded socket, endoskeletal system, including soft prosthetic tissue shaping	2,990.12

**Endoskeletal – Interscapular Thoracic**

<b>HCPCS Code</b>	<b>Description</b>	<b>Maximum Allowances «(in dollars)»</b>
L6570	Molded socket, endoskeletal system, including soft prosthetic tissue shaping	3,336.60
L6580	Preparatory, wrist disarticulation or below elbow, single wall plastic socket, friction wrist, flexible elbow hinges, figure of eight harness, humeral cuff, bowden cable control, USMC or equal pylon, no cover, molded to patient model	823.38
L6582	Preparatory, wrist disarticulation or below elbow, single wall socket, friction wrist, flexible elbow hinges, figure of eight harness, humeral cuff, bowden cable control, USMC or equal pylon, no cover, direct formed	649.95
L6584	Preparatory, elbow disarticulation or above elbow, single wall plastic socket, friction wrist, locking elbow, figure of eight harness, fair lead cable control, USMC or equal pylon, no cover, molded to patient model	1,163.31



«Endoskeletal – Interscapular Thoracic (continued)»

<b>HCPCS Code</b>	<b>Description</b>	<b>Maximum Allowances «(in dollars)»</b>
L6586	Preparatory, elbow disarticulation or above elbow, single wall socket, friction wrist, locking elbow, figure or eight harness, fair lead cable control, USMC or equal pylon, no cover, direct formed	1,016.14
L6588	Preparatory, shoulder disarticulation or interscapular thoracic, single wall plastic socket, shoulder joint, locking elbow, friction wrist, chest strap, fair lead cable control, USMC or equal pylon, no cover, molded to patient model	1,730.58
L6590	Preparatory, shoulder disarticulation or interscapular thoracic, single wall socket, shoulder joint, locking elbow, friction wrist, chest strap, fair lead cable control, USMC or equal pylon, no cover, direct formed	1,514.98

**Additions: Upper Limb**

<b>HCPCS Code</b>	<b>Description</b>	<b>Maximum Allowances «(in dollars)»</b>
L6600	Polycentric hinge, pair	67.89
L6605	Single pivot hinge, pair	75.29
L6610	Flexible metal hinge, pair	64.44
+L6611	Prosthesis, externally powered, additional switch, any type	270.47
L6615	Disconnect locking wrist unit	71.22
L6616	Additional disconnect insert for locking wrist unit, each	28.00
L6620	Flexion/extension wrist unit, with or without friction	149.29
L6621	Flexion/extension wrist with or without friction, for use with external powered terminal device	1,440.62
L6623	Spring assisted rotational wrist unit with latch release	247.89
+L6624	Flexion/extension and rotation wrist unit	2,474.01

## «Additions: Upper Limb (continued)»

<b>HCPCS Code</b>	<b>Description</b>	<b>Maximum Allowances «(in dollars)»</b>
L6625	Rotation wrist unit with cable lock	272.66
L6628	Quick disconnect hook adapter, Otto Bock or equal	280.56
L6629	Quick disconnect lamination collar with coupling piece, Otto Bock or equal	79.33
L6630	Stainless steel, any wrist	76.95
L6632	Latex suspension sleeve, each	36.96
L6635	Lift assist for elbow	115.08
L6637	Nudge control elbow lock	203.70
L6638	Electric locking feature, only for use with manually powered elbow	1,575.05
L6640	Shoulder abduction joint, pair	109.69
L6641	Excursion amplifier, pulley type	103.34
L6642	Excursion amplifier, lever type	129.68
L6645	Shoulder flexion-abduction joint, each	149.05
L6646	Shoulder joint, multipositional locking, flexion, adjustable abduction friction control, for use with body powered or external powered system	1,986.49
L6647	Shoulder lock mechanism, body powered actuator	327.03
L6648	Shoulder lock mechanism, external powered actuator	2,048.78
L6650	Shoulder universal joint, each	145.71
L6655	Standard control cable, extra	32.03
L6660	Heavy duty control cable	78.52
L6665	Teflon, or equal, cable lining	21.89
L6670	Hook to hand, cable adapter	26.84
L6672	Harness, chest or shoulder, saddle type	104.77
L6675	Harness, (e.g., figure of eight type), single cable design	62.51
L6676	Harness, (e.g., figure of eight type), dual cable design	77.72
L6677	Harness, triple control, simultaneous operation of terminal device and elbow	186.83

**«Additions: Upper Limb (continued)»**

<b>HCPCS Code</b>	<b>Description</b>	<b>Maximum Allowances «(in dollars)»</b>
L6680	Test socket, wrist disarticulation or below elbow	179.71
L6682	Test socket, elbow disarticulation or above elbow	179.71
L6684	Test socket, shoulder disarticulation or interscapular thoracic	179.71
L6686	Suction socket	364.79
L6687	Frame type socket, below elbow or wrist disarticulation	265.30
L6688	Frame type socket, above elbow or elbow disarticulation	291.55
L6689	Frame type socket, shoulder disarticulation	350.18
L6690	Frame type socket, interscapular thoracic	380.01
L6691	Removable insert, each	209.13
L6692	Silicone gel insert or equal, each	413.00
L6693	Locking elbow, forearm counterbalance	1,297.85
+L6694	Custom elbow socket insert, for use with locking mechanism	502.73
+L6695	Custom elbow socket insert, for use without locking mechanism	418.94
+L6696	Custom elbow socket insert for congenital or atypical traumatic amputee, for use with or without locking mechanism	828.47
+L6697	Custom elbow socket insert for other than congenital or atypical traumatic amputee, for use with or without locking mechanism	828.47
+L6698	Below/above elbow lock mechanism, excludes socket insert	425.50
L6883	Replacement socket, below elbow/wrist disarticulation, molded to patient model, for use with or without external power	1,102.87
L6884	Replacement socket, above elbow/elbow disarticulation, molded to patient model, for use with or without external power	1,909.77
L6885	Replacement socket, shoulder disarticulation/interscapular thoracic, molded to patient model, for use with or without external power	2,724.70
L7400	Below elbow/wrist disarticulation, ultralight material	193.03
L7401	Above elbow disarticulation, ultralight material	216.10
L7402	Shoulder disarticulation/interscapular thoracic, ultralight material	233.38
L7403	Below elbow/wrist disarticulation, acrylic material	231.94
L7404	Above elbow disarticulation, acrylic material	350.06
L7405	Shoulder disarticulation/interscapular thoracic, acrylic material	457.84
L7700	Gasket or seal, for use with prosthetic socket insert, any type, each	By Report

**Terminal Devices – Hooks**

<b>HCPCS Code</b>	<b>Description</b>	<b>Maximum Allowances «(in dollars)»</b>
L6703	Passive, hand/mitt, any material, any size	240.50
L6704	Sport/recreational/work attachment, any material, any size	522.51
L6706	Mechanical, voluntary opening, any material, any size, lined or unlined.	288.79
L6707	Mechanical, voluntary closing, any material, any size, lined or unlined.	1,102.72
L6711	Mechanical, voluntary opening, any material, any size, lined or unlined, pediatric	By Report
L6712	Mechanical, voluntary closing, any material, any size, lined or unlined, pediatric	By Report
L6805	Addition to terminal device; modifier wrist unit	157.33
L6810	Addition to terminal device; precision pinch device	96.51

**Terminal Devices – Hand**

<b>HCPCS Code</b>	<b>Description</b>	<b>Maximum Allowances «(in dollars)»</b>
L6708	Mechanical, voluntary opening, any material, any size	746.30
L6709	Mechanical, voluntary closing, any material, any size	1,080.94
L6713	Mechanical, voluntary opening, any material, any size, pediatric	By Report
L6714	Mechanical, voluntary closing, any material, any size, pediatric	By Report
L6715	Multiple articulating digit, includes motor(s), initial issue or replacement	By Report
L6880	Electric hand, switch or myoelectric controlled, independently articulating digits, any grasp pattern or combination of grasp patterns, includes motor(s)	By Report
+L6881	Automatic grasp feature, addition to upper limb electric prosthetic terminal device	By Report
+L6882	Microprocessor control feature, addition to upper limb prosthetic terminal device	By Report
L6890	Glove for above hands, prefabricated, includes fitting and adjustment	92.39
L6895	Glove for above hands, any material, custom glove, fabricated	215.08

**Terminal Devices – Heavy Duty**

<b>HCPCS Code</b>	<b>Description</b>	<b>Maximum Allowances «(in dollars)»</b>
L6721	Hook or hand, mechanical, voluntary opening, any material, any size, lined or unlined	By Report
L6722	Hook or hand, mechanical, voluntary closing, any material, any size, lined or unlined	By Report

**Hand restoration (Casts, shading and measurements included)**

<b>HCPCS Code</b>	<b>Description</b>	<b>Maximum Allowances «(in dollars)»</b>
L6900	Partial hand, with glove, thumb or one finger remaining	654.89
L6905	Partial hand, with glove, multiple fingers remaining	624.89
L6910	Partial hand, with glove, no fingers remaining	648.48
L6915	Replacement glove for above (does not include cast)	417.30

**External Power – Base Devices**

<b>HCPCS Code</b>	<b>Description</b>	<b>Maximum Allowances «(in dollars)»</b>
L6920	Wrist disarticulation, self-suspended inner socket, removable forearm shell, Otto Bock or equal, switch, cables, two batteries and one charger, switch control of terminal device	3,360.79
L6925	Wrist disarticulation, self-suspended inner socket, removable forearm shell, Otto Bock or equal electrodes, cables, two batteries and one charger, myoelectronic control of terminal device	3,830.58
L6930	Below elbow, self-suspended inner socket, removable forearm shell, Otto Bock or equal switch, cables, two batteries and one charger, switch control of terminal device	3,675.00
L6935	Below elbow, self-suspended inner socket, removable forearm shell, Otto Bock or equal electrodes, cables, two batteries and one charger, myoelectronic control of terminal device	4,188.31

**External Power – Base Devices (continued)**

<b>HCPCS Code</b>	<b>Description</b>	<b>Maximum Allowances «(in dollars)»</b>
L6940	Elbow disarticulation, molded inner socket, removable humeral shell, outside locking hinges, forearm, Otto Bock or equal switch, cables, two batteries and one charger, switch control of terminal device	3,950.33
L6945	Elbow disarticulation, molded inner socket, removable humeral shell, outside locking hinges, forearm, Otto Bock or equal electrodes, cables, two batteries and one charger myoelectronic control of terminal device	4,546.50
L6950	Above elbow, molded inner socket, removable humeral shell, internal locking elbow, forearm, Otto Bock or equal switch, cables, two batteries and one charger switch control of terminal device	4,404.17
L6955	Above elbow, molded inner socket, removable humeral shell, internal locking elbow, forearm, Otto Bock or equal electrodes, cables, two batteries and one charger, myoelectronic control of terminal device	5,262.83
L6960	Shoulder disarticulation, molded inner socket, removable shoulder shell, shoulder bulkhead, humeral section, mechanical elbow, forearm, Otto Bock or equal switch two batteries and one charger, cables, switch control of terminal device	5,740.00
L6965	Shoulder disarticulation, molded inner socket, removable shoulder shell shoulder bulkhead, humeral section, mechanical elbow, forearm, Otto Bock or equal electrodes, cables, two batteries and one charger, switch control of terminal device	6,667.50
L6970	Interscapular-thoracic, molded inner socket, removable shoulder shell, shoulder bulkhead, humeral section, mechanical elbow, forearm, Otto Bock or equal switch, cables, two batteries and one charger, switch control of terminal device	7,070.00
L6975	Interscapular-thoracic, molded inner socket, removable shoulder shell, shoulder bulkhead humeral section, mechanical elbow, forearm, Otto Bock or equal electrodes, cables, two batteries and one charger, myoelectronic control of terminal device	8,050.00

**External Power – Terminal Devices**

<b>HCPCS Code</b>	<b>Description</b>	<b>Maximum Allowances «(in dollars)»</b>
L7007	Electric hand, switch or myoelectric controlled, adult	2,302.63
L7008	Electric hand, switch or myoelectric controlled, pediatric	3,870.97
L7009	Electric hook, switch or myoelectric controlled, adult	2,349.42
L7040	Prehensile actuator, switch controlled	1,281.88
L7045	Electric hook, switch or myoelectric controlled, pediatric	675.62

**Electronic Elbows**

<b>HCPCS Code</b>	<b>Description</b>	<b>Maximum Allowances «(in dollars)»</b>
L7170	Hosmer or equal, switch controlled	2,572.50
L7180	Microprocessor sequential control	16,310.00
+L7181	Microprocessor simultaneous control	By Report
L7185	Adolescent, Variety Village or equal, switch controlled	2,695.00
L7186	Child, Variety Village or equal, switch controlled	3,797.50
L7190	Adolescent, Variety Village or equal, myoelectronically controlled	3,543.75
L7191	Child, Variety Village or equal, myoelectronically controlled	4,706.24

**Control Modules and Battery Components**

<b>HCPCS Code</b>	<b>Description</b>	<b>Maximum Allowances «(in dollars)»</b>
L7259	Electronic wrist rotator, any type	By Report
L7360	Six volt battery, Otto Bock or equal, each	111.21
L7362	Battery charger, six volt, Otto Bock or equal	116.81
L7364	Twelve volt battery, Utah or equal, each	214.03
L7366	Battery charger, twelve volt, Utah or equal	280.00
L7367	Lithium ion battery, rechargeable, replacement	245.21
L7368	Lithium ion battery charger	317.87

**Breast Prostheses**

<b>HCPCS Code</b>	<b>Description</b>	<b>Maximum Allowances «(in dollars)»</b>
A4280	Adhesive skin support attachment for use with external breast prosthesis, each	3.00
**L8000	Mastectomy bra	30.71
**L8001	Mastectomy bra, with integrated breast prosthesis form, unilateral	78.99
**L8002	Mastectomy bra, with integrated breast prosthesis form, bilateral	103.90
**L8010	Mastectomy sleeve	27.93
**L8015	External breast prosthesis garment, with mastectomy form, post mastectomy	37.75
L8020	Mastectomy form	91.47
L8030	Breast prosthesis; silicone or equal, without integral adhesive	245.02
L8031	Breast prosthesis; silicone or equal, with integral adhesive	By Report
L8032	Nipple prosthesis, reusable, any type	By Report
L8033	Nipple prosthesis, custom fabricated, reusable, any material, any type, each	By Report
L8035	Custom breast prosthesis, post mastectomy, molded to patient model	2,196.13



**Prosthetic Socks**

<b>HCPCS Code</b>	<b>Description</b>	<b>Maximum Allowances «(in dollars)»</b>
L8400	Prosthetic sheath, below knee, each	11.88
L8410	Prosthetic sheath, above knee, each	11.88
L8415	Prosthetic sheath, upper limb, each	10.94
L8417	Prosthetic sheath/sock, including a gel cushion layer, below knee or above knee, each	36.31
L8420	Prosthetic sock, multiple ply, below knee, each	11.79
L8430	Prosthetic sock, multiple ply, above knee, each	11.79
L8435	Prosthetic sock, multiple ply, upper limb, each	11.99
L8440	Prosthetic shrinker, below knee, each	25.68
L8460	Prosthetic shrinker, above knee, each	57.02
L8465	Prosthetic shrinker, upper limb, each	19.08
L8470	Prosthetic sock, single ply, fitting, below knee, each	4.48
L8480	Prosthetic sock, single ply, fitting, above knee, each	5.22
L8485	Prosthetic sock, single ply, fitting, upper limb, each	9.22

**Repairs for Prosthesis, Labor and Material**

<b>HCPCS Code</b>	<b>Description</b>	<b>Maximum Allowances «(in dollars)»</b>
L7510	Repair of prosthetic device, repair or replace minor parts	By Report
L7520	Repair of prosthetic device, labor component, per 15 minutes	16.47

**«Legend»**

«Symbols used in the document above are explained in the following table.»

<b>Symbol</b>	<b>Description</b>
«	This is a change mark symbol. It is used to indicate where on the page the most recent change begins.
»	This is a change mark symbol. It is used to indicate where on the page the most recent change ends.
+	Authorization is always required for this procedure code. Authorization is additionally required for <u>all</u> prosthetic codes when the cumulative costs for purchase, replacement or repair of prosthetics exceeds 500 within a 90-day period. This policy also applies to daily amounts that exceed 500 for an individual item or combination of items.
**	Items designated by double asterisks (**) may be reimbursed by the Medi-Cal program as defined in CCR, Title 22, Section 51315, only if the pharmacy/pharmacist is licensed and enrolled in the Medi-Cal program as a provider. The only provider types that may bill for and furnish items not designated with double asterisks (**) are orthotists, prosthetists, podiatrists and physicians, as specified in CCR, Title 22, Section 51315, and CCS providers.