
Version D.Ø Transaction Information (Section 1.2)

Page updated: August 2020

Copyright Notice

Materials reproduced with the consent of the National Council of Prescription Drug Programs, Inc. (NCPDP)© 2012.

General Transaction Formatting Information (Section 1.2.1)

The NCPDP Batch Version 1.2 provides for batch transmission of a NCPDP Batch Standard Version 1.2 Transaction Header Record and a NCPDP Batch Standard Version 1.2 Transaction Trailer Record for each file sent to Medi-Cal. Every NCPDP Batch Standard Version 1.2 Batch Transaction Detail Data Record within each file will contain an entire NCPDP Telecommunication Standard Version D.Ø Claim Transmission containing up to four Claim Details or Transactions.

The pharmacy claim transaction formats within the claim transmissions are based on the NCPDP Telecommunication Standard D.Ø that allows variable length transactions only.

For technical information about the standard, see the *NCPDP Telecommunication Standard and Implementation Guide*.

Page updated: August 2020

The general syntax of a NCPDP Telecommunication Standard Version D.Ø transmission request and response contained within a NCPDP Batch Standard Version 1.2 Batch Transaction Standard transmission will appear as follows:

Start of Batch Transmission:

- Version 1.2 Batch Transaction Header Record
 - Start of Version 1.2 Batch Transaction Detail Data Record
 - ❖ Version D.Ø Transaction Header Segment
 - Version D.Ø Header Segment Fields
 - ❖ Segment Separator
 - Required Fields within Segment as appropriate, with field separators
 - Optional Segment Fields with field separators
 - ❖ Segment Separator
 - Required Fields within Segment as appropriate, with field separators
 - Optional Segment Fields with field separators
 - ❖ Group Separator
 - ❖ Segment Separator
 - Required Fields within Segment as appropriate, with field separators
 - Optional Segment Fields with field separators
 - ❖ Segment Separator
 - Required Fields within Segment as appropriate, with field separators
 - Optional Segment Fields with field separators
 - End of Version 1.2 Batch Transaction Detail Data Record
- Version 1.2 Batch Transaction Trailer Record

End of Batch Transmission.

The general structure of a request, for most transactions, will appear as follows (recognizing that some segments may be optional, and the following presentation contains only one transmission with up to four prescription claim details):

Batch Transmission Start

- Version 1.2 Batch Transaction Header Record (Transaction type Transmission)
 - Start of Version 1.2 Batch Transaction Detail Data Record
 - (Start of Version D.Ø Transmission is the beginning of the Version D.Ø Transaction Header Segment)
 - ❖ Version D.Ø Transaction Header Segment (transmission level)
 - ❖ Version D.Ø Patient Segment (transmission level)
 - ❖ Version D.Ø Insurance Segment (transmission level)
 - Transaction (up to four per Version D.Ø transmission)
 - Version D.Ø Claim Segment (transaction level)
 - Version D.Ø Prescriber Segment (transaction level)
 - Version D.Ø Coordination of Benefits/Other Payments Segment (transaction level)
 - Version D.Ø Pricing Segment (transaction level)
 - Version D.Ø Clinical Segment (transaction level)
 - (End of Version D.Ø Transmission is the end of the last Version D.Ø segment)
 - ❖ End of Version 1.2 Batch Transaction Detail Data Record (up to 9,999,999,997 Version 1.2 Batch Transaction Detail Data Records per batch transmission)
- Version 1.2 Batch Transaction Trailer Record

Batch Transmission End

The general structure of a response, for most transactions, will appear as follows (recognizing that some segments may not be used and the following presentation contains only one transmission response with up to four prescription claims):

Batch Transmission Start

- Version 1.2 Batch Transaction Header Record (Response type Transmission)
 - Start of Version 1.2 Batch Transaction Detail Data Record
 - (Start of Version D.Ø Response Transmission is the beginning of the Version D.Ø Response Header Segment)
 - ❖ Version D.Ø Response Header Segment (D.Ø transmission level)
 - ❖ Version D.Ø Response Insurance Segment (D.Ø transmission level)
 - Transaction Response (up to four per transmission)
 - Version D.Ø Response Status Segment (D.Ø transaction level) (Version D.Ø Response Claim Segment (D.Ø transaction level))
 - ❖ (End of Version D.Ø Response Transmission is the end of the last Version D.Ø segment)
 - End of Version 1.2 Batch Transaction Detail Data Record (up to 9,999,999,997 Batch Transaction Detail Data Records/Responses per transmission)
- Version 1.2 Batch Transaction Trailer Record

Batch Transmission End

The structure of a Version 1.2 error response will appear as follows:

Batch Transmission Start

- Version 1.2 Batch Transaction Header Record (Error type Transmission)
- Version 1.2 Batch Transaction Trailer Record

Batch Transmission End

<<Legend>>

<<Symbols used in the document above are explained in the following table.>>

Symbol	Description
<<	This is a change mark symbol. It is used to indicate where on the page the most recent change begins.
>>	This is a change mark symbol. It is used to indicate where on the page the most recent change ends.